Acme Pumps

Type SP Single-Stage Vertical Sump Pumps





Available in Cast Iron & Stainless Steel Construction

Description

Acme type SP single-stage centrifugal sump pumps are suitable for handling water, chemicals and other liquids. They are available in cast iron and a range of corrosion resistant stainless steel. They are widely used in water supply and treatment, chemical, waste and other general industrial applications.

Features

- 16 bar working pressure as standard requires robust and solid construction to ensure a long, continuous service life.
- Double volute design available for selected pumps. It eliminates radial load by balancing the hydraulic force of liquid within the pump casing, extends bearing life and minimizes vibration and noise.
- DIN 2533 ND/16 delivery flange connection to meet the design working pressure rating.
- Excellent parts interchangeability reduces inventory level for spare parts.
- External bearing lubrication for pumping liquid contains solid particles. This extends bearing life.

Material Specification


Part	Standard	Stainless Steel*
Casing	Cast Iron	Stainless Steel
Impeller	Stainless Steel	Stainless Steel
Shaft	Stainless Steel	Stainless Steel
Column Pipe	Steel	Stainless Steel

^{*} Available in 304, 316, 316L and Duplex Stainless Steel.


Operating Limits

Working	Test	Suction	Max.Liquid
Pressure	Pressure	Pressure	Temperature
16 bars	24 bars	Up to 16 bars	110° C

Construction



Coverage Charts



We reserve the right to amend design without notice